

arco series



ARCO-4-T

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 03/08/2026

 **DAS AUDIO**

KEY FEATURES

- Molded high impact ABS enclosures
- Small size and ready-to-paint exterior
- Adjustable ceiling/wall mount included
- Factory installed multi-tap transformers

DESCRIPTION

The Arco-4T incorporates a 4" woofer with weather resistant polypropylene cone. High frequency reproduction is handled by a 19 mm neodymium dome tweeter for brilliant highs. An Overload Safety Circuit protects the speakers from damage in case of overpowering. The "T" versions include a multi tap transformer with variable settings including an 8 ohm bypass position.

IP 54 kits for outdoor use are available.

The packaging of this model includes 2 units of the product and 2 AX-4RM mounting brackets (or AX-4RM-W for the white version).

ARCO-4-T

SPECIFICATIONS

Performance

Frequency Range (-10 dB)	72 Hz – 22 kHz
Horizontal Coverage (-6 dB)	90°
Vertical Coverage	90°
Nominal Impedance	8 ohms
Transformer Taps 70 V	2.5 W-5 W-7.5 W
Transformer Taps 100 V	5 W-10 W-15 W
RMS Power Handling	50 W
Peak Power Handling	200 W
On-axis Sensitivity 1W/1 m	86 dB SPL
Maximum Peak SPL at 1 m	109 dB
Recommended Amplifier	INTEGRAL-A402 INTEGRAL-A404
Recommended Processor	INTEGRAL-M88 INTEGRAL-MA1604 INTEGRAL-MA1004

Connectors

Audio Input Connector	Spring Terminals
Audio Output Connector	Spring Terminals

ARCO-4-T

Enclosure

Enclosure Construction	High Impact ABS
Enclosure Geometry	Trapezoidal
Color	Black
Dimensions (H x W x D)	210 x 135 x 140 mm 8,3 x 5,3 x 5,5 in
Net Weight	1,6 kg (3,5 lb)

Components

LF Driver	4G
HF Driver	TWT-4

Shipping

Carton Dimensions (H x W x D)	325 x 330 x 170 mm 12,8 x 13,0 x 6,7 in
Shipping Weight	2,2 kg (4,9 lb)

ARCO-4-T

ORDERING INFORMATION

Model	Description	P/N
System		
ARCO-4-T		10404510
Replacement Parts		
4G	Cone Transducer	10205200
TWT-4	Diaphragm	10212080
Accessories		
AXA-AC	Installation & Stacking Acc.	10104370
AXU-AC4	Installation & Stacking Acc.	10104330
KIT-IP-ARCO	Installation & Stacking Acc.	10404660

ARCO-4-T

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 03/08/2026

