



CYCLOPS
LIGHTING

FLASHBAR 600

DMX CHART

3 CHANNELS		
Channel	Value	Function
1	000 - 255	Flash intensity
2	000 - 255	Flash Duration
3	000 - 255	Flash Rate

9 CHANNELS		
Channel	Value	Function
1	000 - 255	Master Dimmer
2	000 - 255	Flash intensity
3	000 - 255	Flash Duration
4	000 - 255	Flash Rate
5	000 - 255	Color marco 0-51
6	000 - 255	Frost Glasses
7	000 - 255	Red
8	000 - 255	Green
9	000 - 255	Blue

22 CHANNELS		
Channel	Value	Function
1	000 - 255	Master Dimmer
2	000 - 255	Flash intensity
3	000 - 255	Flash Duration
4	000 - 255	Flash Rate
5	000 - 255	Color marco 0-51
6	000 - 255	Frost Glasses
7	000 - 255	Red 1
8	000 - 255	Green1
9	000 - 255	Blue1
10	000 - 255	Red 2
11	000 - 255	Green2
12	000 - 255	Blue2
13	000 - 255	White section 1-6
14	000 - 255	White section 7-12
15	000 - 255	Red 3
16	000 - 255	Green3
17	000 - 255	Blue3
18	000 - 255	Red 4
19	000 - 255	Green4
20	000 - 255	Blue4
21	000 - 255	auto 1-15
22	000 - 255	auto speed

36 CHANNELS		
Channel	Value	Function
1	000 - 255	Master Dimmer
2	000 - 255	Flash intensity
3	000 - 255	Flash Duration
4	000 - 255	Flash Rate
5	000 - 255	Color marco 0-51

6	000 - 255	Frost Glasses
7	000 - 255	Red 1
8	000 - 255	Green1
9	000 - 255	Blue1
10	000 - 255	Red 2
11	000 - 255	Green2
12	000 - 255	Blue2
13	000 - 255	Red 3
14	000 - 255	Green3
15	000 - 255	Blue3
16	000 - 255	Red 4
17	000 - 255	Green4
18	000 - 255	Blue4
19	000 - 255	White section 1-3
20	000 - 255	White section 4-6
21	000 - 255	White section 7-9
22	000 - 255	White section 10-12
23	000 - 255	Red 5
24	000 - 255	Green5
25	000 - 255	Blue5
26	000 - 255	Red 6

27	000 - 255	Green6
28	000 - 255	Blue6
29	000 - 255	Red 7
30	000 - 255	Green7
31	000 - 255	Blue7
32	000 - 255	Red 8
33	000 - 255	Green8
34	000 - 255	Blue8
35	000 - 255	auto 1-31
36	000 - 255	auto speed

50 CHANNELS		
Channel	Value	Function
1	000 - 255	Master Dimmer
2	000 - 255	Flash intensity
3	000 - 255	Flash Duration
4	000 - 255	Flash Rate
5	000 - 255	Color marco 0-51
6	000 - 255	Frost Glasses
7	000 - 255	Red 1
8	000 - 255	Green1
9	000 - 255	Blue1
10	000 - 255	Red 2
11	000 - 255	Green2
12	000 - 255	Blue2
13	000 - 255	Red 3
14	000 - 255	Green3
15	000 - 255	Blue3
16	000 - 255	Red 4

17	000 - 255	Green4
18	000 - 255	Blue4
19	000 - 255	Red 5
20	000 - 255	Green5
21	000 - 255	Blue5
22	000 - 255	Red 6
23	000 - 255	Green6
24	000 - 255	Blue6
25	000 - 255	White section 1-2
26	000 - 255	White section 3-4
27	000 - 255	White section5-6
28	000 - 255	White section 7-8
29	000 - 255	White section 9-10
30	000 - 255	White section 11-12

31	000 - 255	Red 7
32	000 - 255	Green7
33	000 - 255	Blue7
34	000 - 255	Red 8
35	000 - 255	Green8
36	000 - 255	Blue8
37	000 - 255	Red 9
38	000 - 255	Green9
39	000 - 255	Blue9
40	000 - 255	Red 10
41	000 - 255	Green10
42	000 - 255	Blue10
43	000 - 255	Red 11
44	000 - 255	Green11
45	000 - 255	Blue11

46	000 - 255	Red 12
47	000 - 255	Green12
48	000 - 255	Blue12
49	000 - 255	auto 1-31
50	000 - 255	auto speed

92 CHANNELS		
Channel	Value	Function
1	000 - 255	Master Dimmer
2	000 - 255	Flash intensity
3	000 - 255	Flash Duration
4	000 - 255	Flash Rate
5	000 - 255	Color marco 0-51
6	000 - 255	Frost Glasses
7	000 - 255	Red 1
8	000 - 255	Green1
9	000 - 255	Blue1
10	000 - 255	Red 2

11	000 - 255	Green2
12	000 - 255	Blue2
13	000 - 255	Red 3
14	000 - 255	Green3
15	000 - 255	Blue3
16	000 - 255	Red 4
17	000 - 255	Green4
18	000 - 255	Blue4
19	000 - 255	Red 5
20	000 - 255	Green5

21	000 - 255	Blue5
22	000 - 255	Red 6
23	000 - 255	Green6
24	000 - 255	Blue6
25	000 - 255	Red 7
26	000 - 255	Green7
27	000 - 255	Blue7
28	000 - 255	Red 8
29	000 - 255	Green8
30	000 - 255	Blue8
31	000 - 255	Red 9
32	000 - 255	Green9
33	000 - 255	Blue9
34	000 - 255	Red 10
35	000 - 255	Green10
36	000 - 255	Blue10
37	000 - 255	Red 11
38	000 - 255	Green11
39	000 - 255	Blue11
40	000 - 255	Red 12
41	000 - 255	Green12
42	000 - 255	Blue12

43	000 - 255	White section 1
44	000 - 255	White section 2
45	000 - 255	White section3
46	000 - 255	White section 4
47	000 - 255	White section 5
48	000 - 255	White section 6
49	000 - 255	White section 7
50	000 - 255	White section 8

51	000 - 255	White section9
52	000 - 255	White section 10
53	000 - 255	White section 11
54	000 - 255	White section 12
55	000 - 255	Red13
56	000 - 255	Green13
57	000 - 255	Blue13
58	000 - 255	Red 14
59	000 - 255	Green14
60	000 - 255	Blue14
61	000 - 255	Red 15
62	000 - 255	Green15
63	000 - 255	Blue15
64	000 - 255	Red 16
65	000 - 255	Green16
66	000 - 255	Blue16
67	000 - 255	Red 17
68	000 - 255	Green17
69	000 - 255	Blue17
70	000 - 255	Red 18
71	000 - 255	Green18
72	000 - 255	Blue18

73	000 - 255	Red 19
74	000 - 255	Green19
75	000 - 255	Blue19
76	000 - 255	Red 20
77	000 - 255	Green20
78	000 - 255	Blue20
79	000 - 255	Red 21
80	000 - 255	Green21

81	000 - 255	Blue21
82	000 - 255	Red 22
83	000 - 255	Green22
84	000 - 255	Blue22
85	000 - 255	Red 23
86	000 - 255	Green23
87	000 - 255	Blue23
88	000 - 255	Red 24
89	000 - 255	Green24
90	000 - 255	Blue24
91	000 - 255	auto 1-31
92	000 - 255	auto speed