

Quantum series



Q-10A

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 14/04/2026



KEY FEATURES

- Compact self-powered subwoofer system
- DAScontrol™ interface for easy setup
- Birch plywood enclosure
- 1 DAS 10MG loudspeaker
- Frequency range 40 Hz – 200 Hz
- 500 W peak Class D amplifier

DESCRIPTION

The Q-10A is a compact, low-profile self-powered subwoofer, equipped with a 10" transducer in a bass-reflex design. Designed for installations in small and medium-sized spaces, it is the perfect complement to Quantum series systems or any other setup requiring accurate low-frequency reproduction. Its design extends the frequency response down to 40 Hz, delivering powerful and clear sound for music playback.

The system is equipped with a Class D amplifier delivering 250 W RMS and 500 W peak power, ensuring efficient and reliable performance. Thanks to DAScontrol™ technology, the Q-10A allows easy adjustment of various parameters, including two playback presets (deep/loud) and three different EQ settings, via its LCD screen. Additionally, it features two combo inputs and two XLR-M outputs, making integration into various configurations straightforward.

The enclosure is made of high-quality birch plywood, coated with the durable ISO-flex finish, ensuring long-lasting performance in demanding environments. The Q-10A also features 12 M10 mounting points for easy installation in a variety of configurations.

Q-10A

SPECIFICATIONS

Performance

Frequency Range (-10 dB)	40 Hz - 200 Hz
Maximum Peak SPL at 1 m	121 dB

Electronics and Connectors

Nominal Amplifier Power (continuous)	250 W
Nominal Amplifier Power (peak)	500 W
Input Type	Balanced
Input Impeadance	20 kohms
Input Sensitivity	1.95 V (+8 dBu)
Audio Signal Input Connector	2 x Female XLR
Audio Signal Loop Thru Connector	2 x Male XLR
Recommended Signal Processing	INTEGRAL-M88
	INTEGRAL-MA1604
	INTEGRAL-MA1004
AC Input Connector	IEC
Current Draw 230 V / 115 V	1.4 A/2.8 A

Q-10A


Enclosure

Enclosure Construction	Birch Plywood
Enclosure Geometry	Rectangular
Finish	ISO-flex Paint
Color	White
Dimensions (H x W x D)	305 x 505 x 415 mm 12,0 x 19,9 x 16,3 in
Net Weight	17,0 kg (37,4 lb)

Components

LF Driver	10MG
-----------	------

DIMENSIONS



Q-10A

ORDERING INFORMATION

Model	Description	P/N
System		
Q-10A		10434087
Replacement Parts		
10MG	Cone Transducer	20208692
DSP-Q10A	Dsp	20406438
GM-10MG	Recone Kit	20208422
MP-Q10A-115	Power Module	20405094
MP-Q10A-230	Power Module	20405093
Accessories		
ANL-2	Rigging Accessories	10101020
AXC-AT	Installation & Stacking Acc.	10104310
AXU-Q10	Installation & Stacking Acc.	10104177

Q-10A

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 14/04/2026

