

Quantum series



Q-10

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 14/04/2026

 **DAS AUDIO**

KEY FEATURES

- Compact subwoofer system
- Birch plywood enclosure
- 1 DAS 10MG loudspeaker
- Frequency range 40 Hz – 200 Hz

DESCRIPTION

The Q-10 is a compact, low-profile passive subwoofer, equipped with a 10" transducer in a bass-reflex design. Ideal for installations in small and medium-sized spaces, the Q-10 is the perfect option to complement mid/high systems—not only from the Quantum series, but also in other installation setups requiring accurate low-frequency reproduction. It extends the frequency response down to 40 Hz, delivering powerful, high-quality sound reproduction.

The DAS 10FW bass transducer, with a 2" voice coil, offers a power capacity of 250 W RMS and up to 1000 W peak power, with a nominal impedance of 8 ohms and a maximum SPL of 121 dB, ensuring solid and consistent performance. The system is equipped with two NL4 speakON connectors to facilitate input and output audio connections in fixed installations.

The enclosure is made of high-quality birch plywood, coated with the durable ISO-flex finish, ensuring exceptional durability even in demanding environments. The Q-10 features 12 M10 mounting points for easy installation in a wide range of configurations.

Q-10

SPECIFICATIONS

Performance

Frequency Range (-10 dB)	40 Hz - 200 Hz
Nominal Impedance	8 Ohms
RMS Power Handling	250 W
Peak Power Handling	1000 W
On-axis Sensitivity 1W/1 m	94 dB SPL
Maximum Peak SPL at 1 m	121 dB
Recommended Amplifier	INTEGRAL-A402
	INTEGRAL-A404
	INTEGRAL-A1002
	INTEGRAL-A1004
	INTEGRAL-A1602
	INTEGRAL-A1604
	INTEGRAL-MA1004
	INTEGRAL-MA1604
Recommended Processor	INTEGRAL-M88
	INTEGRAL-MA1604
	INTEGRAL-MA1004

Connectors

Audio Input Connector	1 x speakON NL4
Audio Output Connector	1 x speakON NL4

Q-10

Enclosure

Enclosure Construction	Birch Plywood
Enclosure Geometry	Rectangular
Finish	ISO-flex Paint
Color	Black
Dimensions (H x W x D)	305 x 505 x 415 mm 12,0 x 19,9 x 16,3 in
Net Weight	16,0 kg (35,3 lb)


Components

LF Driver	10MG
-----------	------

Shipping

Shipping Weight	17,0 kg (37,5 lb)
-----------------	---------------------

DIMENSIONS



Q-10

ORDERING INFORMATION

Model	Description	P/N
System		
Q-10		10434079
Replacement Parts		
10MG	Cone Transducer	20208692
GM-10MG	Recone Kit	20208422
Accessories		
ANL-2	Rigging Accessories	10101020
AXC-AT	Installation & Stacking Acc.	10104310
AXU-Q10	Installation & Stacking Acc.	10104177
KIT-IP-Q-SUB	Installation & Stacking Acc.	10434094
SPK4-1	Electronic Accessories	20502000
SPK4-10	Electronic Accessories	20502001
SPK4-20	Electronic Accessories	20502002

Q-10