INTEGRAL series



INTEGRAL-MC01



KEY FEATURES

- Electret condenser microphone
- \cdot Wide dynamic range and frequency response
- Accurate sound reproduction
- •12-48Vdc Phantom Power required (or 3Vdc Batteries)
- Cardioid pattern

APPLICATIONS

- Retail Stores
- $\boldsymbol{\cdot}$ Bars, clubs and restaurants
- Fitness Centers, hotels, schools

DESCRIPTION

INTEGRAL-MCO1 is a desktop electret condenser gooseneck microphone. Desktop base allows microphones to be used in multi-purpose or conferencing rooms, retail stores, etc. where quick setup or permanent installation is required.

The desktop base features two 3-pin XLR type input and output connectors enabling direct connection to the audio receivers and microphone. The user button with integrated red indicator permits advanced local control.

The desktop base includes a built-in preamplifier which works with two AAA batteries (3 Vdc) in case of not having the possibility of connecting it to a source providing phantom power.

SPECIFICATIONS

Performance

Microphone Type	Electret Condenser
Frequency Response	40 Hz -16 kHz (+0 -0.5dB)
Polar Pattern	Cardioid
Output Impedance	75 Ohm
Power Requirements	12-48 Vdc Phantom or 3 Vdc Batteries
Power Consumption	25 mA

Dimensions-Weight

Dimensions (H x W x D)	360 x 115 x 142 mm 14,0 x 4,5 x 5,6 in
Net Weight	0,6 kg (0,3 lb)



ORDERING INFORMATION

Model	Description	P/N
System		
INTEGRAL-MC01		10721010

DIMENSIONS



